AUTHOR INDEX

A

Adesnik, M. *See* Finidori, Rizzolo, Gonzalez, Kreibich, Adesnik, and Sabatini.

—, *See* Harnik-Ort, Prakash, Marcantonio, Colman, Rosenfeld, Adesnik, Sabatini, and Kreibich.

Aikawa, M. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.

Ajioka, R. S., and Kaplan, J. Characterization of endocytic compartments using the horseradish peroxidase/diaminobenzidine density shift technique. 77

Aley, S. B. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.

Allemanni, G. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.

Allis, C. D. *See* Schulman, Cook, Richman, and Allis.

Anderson, R. G. W. *See* Jingami, Brown, Goldstein, Anderson, and Luskey.

Andreasen, P. *See* Pöllänen, Saksela, Salonen, Andreasen, Nielsen, Danø, and Vaheri.

Andrews, B. S. *See* Palmer, O'Day, Wener, Andrews, and Margolis.

Angerer, L. M. *See* Nash, Kozak, Angerer, Angerer, Schatten, Schatten, and Marzluff.

Angerer, R. C. *See* Nash, Kozak, Angerer, Angerer, Schatten, Schatten, and Marzluff.

Antonicek, H., Persohn, E., and Schachner, M. Biochemical and functional characterization of a novel neuron–glia adhesion molecule that is involved in neuronal migration. 1587

Argan, C. *See* Nguyen, Argan, Sheffield, Bell, Shields, and Shore.

Arnn, J. *See* Damiani, Margreth, Furlan, Dahms, Arnn, and Sabbadini.

Arvan, P., and Castle, J. D. Phasic release of newly synthesized secretory protein in the unstimulated rat exocrine pancreas. 243

B

Baenziger, J. U. *See* Musil and Baenziger.

Bainton, D. F. *See* Isenberg, McEver, Phillips, Shuman, and Bainton.

Baird, A. *See* Schubert, Ling, and Baird.

Balch, W. E., Wagner, K. R., and Keller, D. S. Reconstitution of transport of vesicular stomatitis virus G protein from the endoplasmic reticulum to the Golgi complex using a cell-free system. 749

Balconi, G. *See* Dejana, Colella, Languino, Balconi, Corbascio, and Marchisio.

Ballivet, M. *See* Shieh, Ballivet, and Schmidt.

Bandtlow, C. *See* Heumann, Korsching, Bandtlow, and Thoenen.

Barbat, A. *See* Trugnan, Rousset, Chantret, Barbat, and Zweibaum.

Barkai, U., and Sherman, M. I. Analyses of the interactions between retinoid-binding proteins and embryonal carcinoma cells. 671

Barrett, A. J. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.

Baserga, R. *See* Kaczmarek, Calabretta, Kao, Heintz, Nevins, and Baserga.

Beisson, J. *See* Ruiz, Garreau de Loubresse, and Beisson.

Belin, D. *See* Huarte, Belin, Bosco, Sappino, and Vassalli.

Bell, A. W. *See* Nguyen, Argan, Sheffield, Bell, Shields, and Shore.

Berger, E. G. *See* Lucocq, Pryde, Berger, and Warren.

Berthier, R. *See* Duperray, Berthier, Chagnon, Ryckewaert, Ginsberg, Plow, and Marguerie.

Bielka, H. *See* Wiedmann, Kurzchalia, Bielka, and Rapoport.

Biemesderfer, D. *See* Sztul, Biemesderfer, Caplan, Kashgarian, and Boyer.

Birkett, C. R. *See* Sasse, Glyn, Birkett, and Gull.

Blachly-Dyson, E., and Stevens, T. H Yeast carboxypeptidase Y can be translocated and glycosylated without its amino-terminal signal sequence. 1183

Blasi, F., Vassalli, J.-D., and Danø, K. Urokinase-type plasminogen activator: proenzyme, receptor, and inhibitors. 801

Bloch, R. J., and Froehner, S. C. The relationship of the postsynaptic 43K protein to acetylcholine receptors in receptor clusters isolated from cultured rat myotubes. 645

—, *See* Pumplin and Bloch.

Boime, I. *See* Corless, Matzuk, Ramabhadran, Krichevsky, and Boime.

Bole, D. *See* Hendershot, Bole, Köhler, and Kearney.

Bonatti, S. *See* Torrisi, Lotti, Pavan, Migliaccio, and Bonatti.

Bonhoeffer, F. *See* Rathjen, Wolff, Frank, Bonhoeffer, and Rutishauser.

Borisy, G. G. *See* Gorbsky, Sammak, and Borisy.

—, *See* Sammack, Gorbsky, and Borisy.

Borsi, L., Carnemolla, B., Castellani, P., Rosellini, C., Vecchio, D., Allemanni, G., Chang, S. E., Taylor-Papadimitriou, J., Pande, H., and Zardi, L. Monoclonal antibodies in the analysis of fibronectin isoforms generated by alternative splicing of mRNA precursors in normal and transformed human cells. 595

Bosco, D. *See* Huarte, Belin, Bosco, Sappino, and Vassalli.

Boyer, J. L. *See* Sztul, Biemesderfer, Caplan, Kashgarian, and Boyer.

Braslau, D. L. *See* Giugni, Braslau, and Haigler.

Braulke, T., Gartung, C., Hasilik, A., and von Figura, K. Is movement of mannose 6-phosphate–specific receptor triggered by binding of lysosomal enzymes? 1735

Braulke, T. *See* , Braulke, Gartung, Hasilik, and von Figura.

Brenneman, D. E., Neale, E. A., Foster, G. A., d'Autremont, S. W., and Westbrook, G. L. Nonneuronal cells mediate neurotrophic action of vasoactive intestinal peptide. 1603

Bright, G. R., Fisher, G. W., Rogowska, J., and Taylor, D. L. Fluorescence ratio imaging microscopy: temporal and spatial measurements of cytoplasmic pH. 1019

Broquet, P. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.

Broschat, K. O. *See* Burgess, Broschat, and Hayden.

Brown, M. S. *See* Jingami, Brown, Goldstein, Anderson, and Luskey.

Brown, S. S., and Petzold, A. S. Using antibodies against *Dictyostelium* membranes to identify an actin-binding membrane protein. 513

Brunden, K. R., and Poduslo, J. F. Lysosomal delivery of the major myelin glycoprotein in the absense of myelin assembly: posttranslational regulation of the level of expression by Schwann cells. 661

Bryan, J. *See* Cooper, Bryan, Schwab, Frieden, Loftus, and Elson.

Bullivant, S. *See* Gruijters, Kistler, Bullivant, and Goodenough.

Burden, S. J. *See* Woodruff, Theriot, and Burden.

Burgeson, R. E. *See* Keene, Sakai, Lunstrum, Morris, and Burgeson.

Burgess, D. R., Broschat, K. O., and Hayden, J. M. Tropomyosin distinguishes between the two actin-binding sites of villin and affects actin-binding properties of other brush border proteins. 29

Burgoyne, R. D. *See* Cambray-Deakin and Burgoyne.

Burke, B. *See* Tooze and Burke.

Burke, E. *See* Swanson, Burke, and Silverstein.

Buss, J. E. *See* Sefton and Buss.

Butcher, E. C. *See* Yednock, Butcher, Stoolman, and Rosen.

C

Calabretta, B. *See* Kaczmarek, Calabretta, Kao, Heintz, Nevins, and Baserga.

Cambray-Deakin, M. A., and Burgoyne, R. D. Posttranslational modifications of α-tubulin: acetylated and detyrosinated forms in axons of rat cerebellum. 1569

Caplan, M. J. *See* Sztul, Biemesderfer, Caplan, Kashgarian, and Boyer.

Capony, F., Morisset, M., Barrett, A. J., Capony, J. P., Broquet, P., Vignon, F., Chambon, M., Louisot, P., and Rochefort, H. Phosphorylation, glycosylation, and proteolytic activity of the 52-kD estrogen-induced protein secreted by MCF_7 cells. 253

Capony, J. P. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.

Carlson, N., and Rechsteiner, M. Microinjection of ubiquitin: intracellular distribution and metabolism in HeLa cells maintained under normal physiological conditions. 537

—, **Rogers, S., and Rechsteiner, M.** Microinjection of ubiquitin: changes in protein degradation in HeLa cells subjected to heat-shock. 547

Carnemolla, B. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.

Castle, J. D. *See* Arvan and Castle.

Castellani, P. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.

Caulton, J. H. *See* Fuller, Caulton, Hutchens, Kaufman, and Raff.

Chagnon *See* Duperray, Berthier, Chagnon, Ryckewaert, Ginsberg, Plow, and Marguerie.

Chambon, M. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.

Chang, S. E. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.

Chang, S., Rathjen, F. G., and Raper, J. A. Extension of neurites on axons is impaired by antibodies against specific neural cell glycoproteins. 355

Chang, X., and Piperno, G. Cross-reactivity of antibodies specific for flagellar tektin and intermediate filament subunits. 1563

—, *See* Piperno, LeDizet, and Chang.

Chantret, I. *See* Trugnan, Rousset, Chantret, Barbat, and Zweibaum.

Choi, A. H. C., and Siu, C.-H. Filopodia are enriched in a cell cohesion molecule of M_r 80,000 and participate in cell–cell contact formation in *Dictyostelium discoideum*. 1375

Chuong, C.-M., Crossin, K. L., and Edelman, G. M. Sequential expression and differential function of multiple adhesion molecules during the formation of cerebellar cortical layers. 331

Clark, M. A. *See* Godfrey, Manzi, Clark, and Hoffstein.

Clarke, H. J., and Masui, Y. Dose-dependent relationship between oocyte cytoplasmic volume and transformation of sperm nuclei to metaphase chromosomes. 831

Cleveland, D. W. The multitubulin hypothesis revisited: what have we learned? 381

—, *See* Earnshaw, Sullivan, Machlin, Cooke, Kaiser, Pollard, Rothfield, and Cleveland.

Cluzeaud, F. *See* Triller, Cluzeaud, and Korn.

Colella, S. *See* Dejana, Colella, Languino, Balconi, Corbascio, and Marchisio.

Coleman, A. W. *See* Goff and Coleman.

Coleman, T. R., Harris, A. S., Mickel, S. M., Mooseker, M. S., and Morrow, J. S. Beta spectrin bestows protein 4.1 sensitivity on spectrin–actin interactions. 519

Colman, D. R. *See* Harnik-Ort, Prakash, Marcantonio, Colman, Rosenfeld, Adesnik, Sabatini, and Kreibich.

—, *See* Salzer, Holmes, and Colman.

Connor, E. A., and McMahan, U. J. Cell accumulation in the junctional region of denervated muscle. 109

Cook, R. G. *See* Schulman, Cook, Richman, and Allis.

Cooke, C. A. *See* Earnshaw, Sullivan, Machlin, Cooke, Kaiser, Pollard, Rothfield, and Cleveland.

Cooper, J. A., Bryan, J., Schwab, B., III, Frieden, C., Loftus, D. J., and Elson, E. L. Microinjection of gelsolin into living cells. 491

Corbascio, G. C. *See* Dejana, Colella, Languino, Balconi, Corbascio, and Marchisio.

Corless, C. L., Matzuk, M. M., Ramabhadran, T. V., Krichevsky, A., and Boime, I. Gonadotropin beta subunits determine the rate of assembly and the oligosaccharide processing of hormone dimer in transfected cells. 1173

Cowan, A. E., Myles, D. G., and Koppel, D. E. Lateral diffusion of the PH-20 protein on guinea pig sperm: evidence that barriers to diffusion maintain plasma membrane domains in mammalian sperm. 917

Craig, S. W. *See* D'Angelo Siliciano and Craig.

Crossin, K. L. *See* Chuong, Crossin, and Edelman.

D

Dahms, A. S. *See* Damiani, Margreth, Furlan, Dahms, Arnn, and Sabbadini.

Damiani, E., Margreth, A., Furlan, A., Dahms, A. S., Arnn, J., and Sabbadini, R. A. Commom structural domains in the sarcoplasmic reticulum Ca-ATPase and the transverse tubule Mg-ATPase. 461

D'Amore, P. *See* Kelley, D'Amore, Hechtman, and Shepro.

D'Angelo Siliciano, J., and Craig, S. W. Properties of smooth muscle meta-vinculin. 473

Danø, K. *See* Blasi, Vassalli, and Danø.

—, *See* Pöllänen, Saksela, Salonen, Andreasen, Nielsen, Danø, and Vaheri.

d'Autremont, S. W. *See* Brenneman, Neale, Foster, d'Autremont, and Westbrook.

de Groot, P. G., Reinders, J. H., and Sixma, J. J. Perturbation of human endothelial cells by thrombin or PMA changes the reactivity of their extracellular matrix towards platelets. 697

De Lemos-Chiarandini, C., Frey, A. B., Sabatini, D. D., and Kreibich, G. Determination of the membrane topology of the phenobarbital-inducible rat liver cytochrome P-450 isozyme PB-4 using site-specific antibodies. 209

Dedhar, S., Ruoslahti, E., and Pierschbacher, M. D. A cell surface receptor complex for collagen type I recognizes the arg-gly-asp sequence. 585

Dejana, E., Colella, S., Languino, L. R., Balconi, G., Corbascio, G. C., and Marchisio, P. C. Fibrinogen induces adhesion, spreading, and microfilament organization of human endothelial cells in vitro. 1403

Derick, L. H. *See* Liu, Derick, and Palek.

DeRosier, D. J. *See* Stokes and DeRosier.

—, *See* Tilney, Fukui, and DeRosier.

DeVries, G. H. *See* Yoshino, Mason, and DeVries.

Dickens, G. *See* Lazarovici, Dickens, Kuzuya, and Guroff.

Diggins, M. A., and Dove, W. F. Distribution of acetylated alpha-tubulin in *Physarum polycephalum*. 303

Dixit, V. M. *See* Galvin, Vance, Dixit, Fink, and Frazier.

Doctrow, S. R., and Folkman, J. Protein kinase C activators suppress stimulation of capillary endothelial cell growth by angiogenic endothelial mitogens. 679

Dove, W. F. *See* Diggins and Dove.

Downs, S. M. *See* Griffith, Downs, and Spudich.

Duband, J.-L., Dufour, S., Hatta, K., Takeichi, M., Edelman, G. M., and Thiery, J. P. Adhesion molecules during somitogenesis in the avian embryo. 1361

Dufour, S. *See* Duband, Dufour, Hatta, Takeichi, Edelman, and Thiery.

Duperray, A., Berthier, R., Chagnon, E., Ryckewaert, J.-J., Ginsberg, M., Plow, E., and Marguerie, G. Biosynthesis and processing of platlet GPIIb–IIIa in human megakaryocytes. 1665

E

Earnshaw, W. C., Sullivan, K. F., Machlin, P. S., Cooke, C. A., Kaiser, D. A., Pollard, T. D., Rothfield, N. F., and Cleveland, D. W. Molecular cloning of cDNA for CENP-B, the major human centromere autoantigen. 817

Edelman, G. M. *See* Chuong, Crossin, and Edelman.

—, *See* Duband, Dufour, Hatta, Takeichi, Edelman, and Thiery.

Elson, E. L. *See* Cooper, Bryan, Schwab, Frieden, Loftus, and Elson.

Englander, L. L., and Rubin, L. L. Acetylcholine receptor clustering and nuclear movement in muscle fibers in culture. 87

Etzler, C. A. *See* McKeown-Longo and Etzler.

Ewenstein, B. M., Warhol, M. J., Handin, R. I., and Pober, J. S. Composition of the von Willebrand factor storage organelle (Weibel–Palade body) isolated from cultured human umbilical vein endothelial cells. 1423

F

Faissner, A. *See* Kücherer, Faissner, and Schachner.
Falconer, M. M. *See* Seagull, Falconer, and Weerdenburg.
Farrell, K. W., Jordan, M. A., Miller, H. P., and Wilson, L. Phase dynamics at microtubule ends: the coexistence of microtubule length changes and treadmilling. 1035
Fechheimer, M. The *Dictyostelium discoideum* 30,000-dalton protein is an actin filament–bundling protein that is selectively present in filopodia. 1539
Fein, A. *See* Payne and Fein.
Fewtrell, C. *See* Mohr and Fewtrell.
Fine, R. E. *See* Lemansky, Hasilik, von Figura, Helmy, Fishman, Fine, Kedersha, and Rome.
Finidori, J., Rizzolo, L., Gonzalez, A., Kreibich, G., Adesnik, M., and Sabatini, D. D. The influenza hemagglutin insertion signal is not cleaved and does not halt translocation when presented to the endoplasmic reticulum as part of a translocating polypeptide. 1705
Fink, B. *See* Galvin, Vance, Dixit, Fink, and Frazier.
Finlay, D. R., Newmeyer, D. D., Price, T. M., and Forbes, D. J. Inhibition of in vitro nuclear transport by a lectin that binds to nuclear pores. 189
Firestone, R. A. *See* Wilson, Firestone, and Lenard.
Fischbach, G. D. *See* Role and Fischbach.
—, *See* Role, Roufa, and Fischbach.
Fisher, G. W. *See* Bright, Fisher, Rogowska, and Taylor.
Fisher, P. R. *See* Segall, Fisher, and Gerisch.
Fishman, J. *See* Lemansky, Hasilik, von Figura, Helmy, Fishman, Fine, Kedersha, and Rome.
Fitzsimons, R. B. *See* Narusawa, Fitzsimons, Izumo, Nadal-Ginard, Rubinstein, and Kelly.
Folkman, J. *See* Doctrow and Folkman.
Forbes, D. J. *See* Finlay, Newmeyer, Price, and Forbes.
Foster, G. A. *See* Brenneman, Neale, Foster, d'Autremont, and Westbrook.
Frank, R. *See* Rathjen, Wolff, Frank, Bonhoeffer, and Rutishauser.
Frazier, W. A. *See* Galvin, Vance, Dixit, Fink, and Frazier.
Frey, A. B. *See* De Lemos-Chiarandini, Frey, Sabatini, and Kreibich.
Frieden, C. *See* Cooper, Bryan, Schwab, Frieden, Loftus, and Elson.
Friesel, R., Komoriya, A., and Maciag, T. Inhibition of endothelial cell proliferation by gamma-interferon. 689
Froehner, S. C., Murnane, A. A., Tobler, M., Peng, H. B., and Sealock, R. A postsynaptic M_r 58,000 (58K) protein concentrated at acetylcholine receptor-rich sites in *Torpedo* electroplaques and skeletal muscle. 1633
—, *See* Bloch and Froehner.
Fukui, Y. *See* Tilney, Fukui, and DeRosier.
Fuller, M. T., Caulton, J. H., Hutchens, J. A., Kaufman, T. C., and Raff, E. C. Genetic analysis of microtubule structure: a β-tubulin mutation causes the formation of aberrant microtubules in vivo and in vitro. 385
Furlan, A. *See* Damiani, Margreth, Furlan, Dahms, Arnn, and Sabbadini.

G

Galvin, N. J., Vance, P. M., Dixit, V. M., Fink, B., and Frazier, W. A. Interaction of human thrombospondin with types I–V collagen: direct binding and electron microscopy. 1413
Garreau de Loubresse, N. *See* Ruiz, Garreau de Loubresse, and Beisson.
Gartung, C. *See* Braulke, Gartung, Hasilik, and von Figura.
Geering, K. *See* Verrey, Schaerer, Zoerkler, Paccolat, Geering, Kraehenbuhl, and Rossier.
Geiger, B. *See* Green, Geiger, Jones, Talian, and Goldman.
Genton, C., Kruithof, E. K. O., and Schleuning, W.-D. Phorbol ester induces the biosynthesis of glycosylated and nonglycosylated plasminogen activator inhibitor 2 in high excess over urokinase-type plasminogen activator in human U-937 lymphoma cells. 705
Georgieva-Hanson, V. *See* Kohtz, Georgieva-Hanson, Kohtz, Schook, and Puszkin.
Gerace, L. *See* Holt, Snow, Senior, Haltiwanger, Gerace, and Hart.
—, *See* Snow, Senior, and Gerace.
Gerisch, G. *See* Segall, Fisher, and Gerisch.
Geuze, H. J., Slot, J. W., and Schwartz, A. L. Membranes of sorting organelles display lateral heterogeneity in receptor distribution. 1715
—, *See* Stoorvogel, Geuze, and Strous.
—, *See* Zijderhand-Bleekemolen, Schwartz, Slot, Strous, and Geuze.
Ginsberg, M. *See* Duperray, Berthier, Chagnon, Ryckewaert, Ginsberg, Plow, and Marguerie.
Ginsburg, V. *See* Roberts, Sherwood, and Ginsburg.
Giugni, T. D., Braslau, D. L., and Haigler, H. T. Electric field–induced redistribution and postfield relaxation of epidermal growth factor receptors on A431 cells. 1291
Glenney, J. R., Jr., Tack, B., and Powell, M. A. Calpactins: two distinct Ca^{++}-regulated phospholipid- and actin-binding proteins isolated from lung and placenta. 503
Glössl, J. *See* Schmidt, Robenek, Harrach, Glössl, Nolte, Hörmann, Richter, and Kresse.
Glyn, M. C. P. *See* Sasse, Glyn, Birkett, and Gull.
Godfrey, R. W., Manzi, R. M., Clark, M. A., and Hoffstein, S. T. Stimulus-specific induction of phospholipid and arachidonic acid metabolism in human neutrophils. 925
Goff, L. J., and Coleman, A. W. The solution to the cytological paradox of isomorphy. 739
Goldman, R. D. *See* Green, Geiger, Jones, Talian, and Goldman.
Goldstein, J. L. *See* Jingami, Brown, Goldstein, Anderson, and Luskey.
Gonzalez, A. *See* Finidori, Rizzolo, Gonzalez, Kreibich, Adesnik, and Sabatini.
Goodenough, D. A. *See* Gruijters, Kistler, Bullivant, and Goodenough.
Gorbsky, G. J., Sammak, P. J., and Borisy, G. G. Chromosomes move poleward in anaphase along stationary microtubules that coordinately disassemble from their kinetochore ends. 9
—, *See* Sammack, Gorbsky, and Borisy.
Goren, M. B. *See* Wang and Goren.
Grant, J. W. *See* Taubman, Grant, and Nadal-Ginard.
Green, K. J., Geiger, B., Jones, J. C. R., Talian, J. C., and Goldman, R. D. The relationship between intermediate filaments and microfilaments before and during the formation of desmosomes and adherens-type junctions in mouse epidermal keratinocytes. 1389
Griffith, L. M., Downs, S. M., and Spudich, J. A. Myosin light chain kinase and myosin light chain phosphatase from *Dictyostelium*: effects of reversible phosphorylation on myosin structure and function. 1309
Grinnell, F. *See* Guidry and Grinnell.
Gruijters, W. T. M., Kistler, J., Bullivant, S., and Goodenough, D. A. Immunolocalization of MP70 in lens fibers 16–17-nm intercellular junctions. 565
Guidry, C., and Grinnell, F. Heparin modulates the organization of hydrated collagen gels and inhibits gel contraction by fibroblasts. 1097
Gull, K. *See* Sasse, Glyn, Birkett, and Gull.
—, *See* Schneider, Sherwin, Sasse, Russell, Gull, and Seebeck.
—, *See* Sherwin, Schneider, Sasse, Seebeck, and Gull.
Gundersen, D. *See* Roth, Gundersen, Patil, and Rodriguez-Boulan.
—, *See* Vega-Salas, Salas, Gundersen, and Rodriguez-Boulan.
Gurdon, J. B. *See* Warner and Gurdon.
Guroff, G. *See* Lazarovici, Dickens, Kuzuya, and Guroff.

H

Hahn, W. C. *See* Rheinwald, Jorgensen, Hahn, Terpstra, O'Connell, and Plummer.
Haigler, H. T. *See* Giugni, Braslau, and Haigler.
Hall, A. K., and Rutishauser, U. Visualization of neural cell adhesion molecule by electron microscopy. 1579

Hall, D. E., Neugebauer, K. M., and Reichardt, L. F. Embryonic neural retinal cell response to extracellular matrix proteins: developmental changes and effects of the cell substratum attachment antibody (CSAT). 623

Halstead, W. E. *See* Kay, Shah, and Halstead.

Haltiwanger, R. S. *See* Holt, Snow, Senior, Haltiwanger, Gerace, and Hart.

Hanai, K., Kato, H., Matsuhashi, S., Morita, H., Raines, E. W., and Ross, R. Platlet proteins, including platlet-derived growth factor, specifically depress a subset of the multiple components of the response elicited by glutathione in *Hydra*. 1675

Handin, R. I. *See* Ewenstein, Warhol, Handin, and Pober.

Harms, E. *See* Marsh, Schmid, Kern, Harms, Male, Mellman, and Helenius.

Harnik-Ort, V., Prakash, K., Marcantonio, E., Colman, D. R., Rosenfeld, M. G., Adesnik, M., Sabatini, D. D., and Kreibich, G. Isolation and characterization of cDNA clones for rat ribophorin I: complete coding sequence and in vitro synthesis and insertion of the encoded product into endoplasmic reticulum membranes. 855

Harrach, B. *See* Schmidt, Robenek, Harrach, Glössl, Nolte, Hörmann, Richter, and Kresse.

Harris, A. S. *See* Coleman, Harris, Miche, Mooseker, and Morrow.

Hart, G. W. *See* Holt, Snow, Senior, Haltiwanger, Gerace, and Hart.

Hasilik, A. *See* Braulke, Gartung, Hasilik, and von Figura.

—, *See* Lemansky, Hasilik, von Figura, Helmy, Fishman, Fine, Kedersha, and Rome.

Hatta, K. *See* Duband, Dufour, Hatta, Takeichi, Edelman, and Thiery.

Hatten, M. E. Neuronal inhibition of astroglial cell proliferation is membrane mediated. 1353

Hayashi, K. *See* Matsuda, Saito, Yamaguchi, Koseki, and Hayashi.

Hayden, J. M. *See* Burgess, Broschat, and Hayden.

Hechtman, H. B. *See* Kelley, D'Amore, Hechtman, and Shepro.

Heintz, N. *See* Kaczmarek, Calabretta, Kao, Heintz, Nevins, and Baserga.

Helenius, A. *See* Marsh, Schmid, Kern, Harms, Male, Mellman, and Helenius.

Helmy, S. *See* Lemansky, Hasilik, von Figura, Helmy, Fishman, Fine, Kedersha, and Rome.

Hendershot, L., Bole, D., Köhler, G., and Kearney, J. F. Assembly and secretion of heavy chains that do not associate posttranslationally with immunoglobulin heavy chain–binding protein. 761

Heumann, R., Korsching, S., Bandtlow, C., and Thoenen, H. Changes of nerve growth factor synthesis in nonneuronal cells in response to sciatic nerve transection. 1623

Hinek, A., Reiner, A., and Poole, A. R. The calcification of cartilage matrix in chondrocyte culture: studies of the C-propeptide of type II collagen (chondrocalcin). 1435

Hirani, S. *See* Lodish, Kong, Hirani, and Rasmussen.

Hirokawa, N., and Hisanaga, S.-I. "Buttonin," a unique button-shaped microtubule-associated protein (75 kD) that decorates spindle microtubule surface hexagonally. 1553

—, *See* Shiomura and Hirokawa.

Hisanaga, S.-I. *See* Hirokawa and Hisanaga.

Hochstrasser, J. W., and Sedat, J. W. Three-dimensional organization of *Drosophila melanogaster* interphase nuclei. I. Tissue-specific aspects of polytene nuclear architecture. 1455

Hochstrasser, M., and Sedat, J. W. Three-dimensional organization of *Drosophila melanogaster* interphase nuclei. II. Chromosome spatial organization and gene regulation. 1471

Hoffstein, S. T. *See* Godfrey, Manzi, Clark, and Hoffstein.

Holmes, W. P. *See* Salzer, Holmes, and Colman.

Holt, G. D., Snow, C. M., Senior, A., Haltiwanger, R. S., Gerace, L., and Hart, G. W. Nuclear pore complex glycoproteins contain cytoplasmically disposed O-linked *N*-acetylglucosamine. 1157

Houliston, E., Pickering, S. J., and Maro, B. Redistribution of microtubules and pericentriolar material during the development of polarity in mouse blastomeres. 1299

Howard, R. J., Lyon, J. A., Uni, S., Saul, A. J., Aley, S. B., Klotz, F., Panton, L. J., Sherwood, J. A., Marsh, K., Aikawa, M., and Rock, E. P. Transport of an M_r ~300,000 *Plasmodium falciparum* protein (Pf EMP 2) from the intraerythrocytic asexual parasite to the cytoplasmic face of the host cell membrane. 1269

Huarte, J., Belin, D., Bosco, D., Sappino, A.-P., and Vassalli, J.-D. Plasminogen activator and mouse spermatozoa: urokinase synthesis in the male genital tract and binding of the enzyme to the sperm cell surface. 1281

Hörmann, H. *See* Schmidt, Robenek, Harrach, Glössl, Nolte, Hörmann, Richter, and Kresse.

Hutchens, J. A. *See* Fuller, Caulton, Hutchens, Kaufman, and Raff.

Hyatt, H. *See* Primakoff, Hyatt, and Tredick-Kline.

I

Ibrahimi, I. Signal recognition particle causes a transient arrest in the biosynthesis of prepromelittin and mediates its translocation across mammalian endoplasmic reticulum. 61

Inoué, S. *See* Tilney and Inoué.

Isenberg, W. M., McEver, R. P., Phillips, D. R., Shuman, M. A., and Bainton, D. F. The platelet fibrinogen receptor: an immunogold-surface replica study of agonist-induced ligand binding and receptor clustering. 1655

Ivanov, I. E. *See* Rindler, Ivanov, and Sabatini.

Iwamoto, M. *See* Kato, Iwamoto, Koike, and Suzuki.

Izumo, S. *See* Narusawa, Fitzsimons, Izumo, Nadal-Ginard, Rubinstein, and Kelly.

J

Jiang, L. *See* Schindler and Jiang.

Jingami, H., Brown, M. S., Goldstein, J. L., Anderson, R. G. W., and Luskey, K. L. Partial deletion of membrane-bound domain of 3-hydroxy-3-methyl-glutaryl coenzyme A reductase eliminates sterol-enhanced degradation and prevents formation of crystalloid endoplasmic reticulum. 1693

Jones, J. C. R. *See* Green, Geiger, Jones, Talian, and Goldman.

Jones, L. R. *See* Jorgensen and Jones.

Jordan, M. A. *See* Farrell, Jordan, Miller, and Wilson.

Jorgensen, A. O., and Jones, L. R. Immunoelectron microscopical localization of phospholamban in adult canine ventricular muscle. 1343

Jorgensen, J. L. *See* Rheinwald, Jorgensen, Hahn, Terpstra, O'Connell, and Plummer.

K

Kaczmarek, L., Calabretta, B., Kao, H.-T., Heintz, N., Nevins, J., and Baserga, R. Control of hsp70 RNA levels in human lymphocytes. 183

Kaiser, D. A. *See* Earnshaw, Sullivan, Machlin, Cooke, Kaiser, Pollard, Rothfield, and Cleveland.

Kaneda, Y. *See* Wataya-Kaneda, Kaneda, Sakurai, Sugawa, and Uchida.

Kao, H.-T. *See* Kaczmarek, Calabretta, Kao, Heintz, Nevins, and Baserga.

Kaplan, J. *See* Ajioka and Kaplan.

Kashgarian, M. *See* Sztul, Biemesderfer, Caplan, Kashgarian, and Boyer.

Kato, H. *See* Hanai, Kato, Matsuhashi, Morita, Raines, and Ross.

Kato, Y., Iwamoto, M., Koike, T., and Suzuki, F. Effect of vanadate on cartilage-matrix proteoglycan synthesis in rabbit costal chondrocyte cultures. 311

Katz, W. *See* Kim, Magendantz, Katz, and Solomon.

Kaufman, T. C. *See* Fuller, Caulton, Hutchens, Kaufman, and Raff.

Kawka, D. W. *See* Singer, Kawka, Scott, Mumford, and Lark.

Kay, B. K., Shah, A. J., and Halstead, W. E. Expression of the Ca^{2+}-binding protein, parvalbumin, during embryonic development of the frog, *Xenopus laevis*. 841

Kearney, J. F. *See* Hendershot, Bole, Köhler, and Kearney.

Kedersha, N. L. *See* Lemansky, Hasilik, von Figura, Helmy, Fishman, Fine, Kedersha, and Rome.

Keene, D. R., Sakai, L. Y., Lunstrum, G. P., Morris, N. P., and Burgeson, R. E. Type VII collagen forms an extended network of anchoring fibrils. 611

Keller, D. S. *See* Balch, Wagner, and Keller.
Kelley, C., D'Amore, P., Hechtman, H. B., and Shepro, D. Microvascular pericyte contractility in vitro: comparison with other cells of the vascular wall. 483
Kelly, A. M. *See* Narusawa, Fitzsimons, Izumo, Nadal-Ginard, Rubinstein, and Kelly.
Kern, H. *See* Marsh, Schmid, Kern, Harms, Male, Mellman, and Helenius.
Kim, S., Magendantz, M., Katz, W., and Solomon, F. Development of a differentiated microtubule structure: formation of the chicken erthrocyte marginal band in vivo. 51
Kirschner, M. *See* Schulze and Kirschner.
Kistler, J. *See* Gruijters, Kistler, Bullivant, and Goodenough.
Klotz, F. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.
Köhler, G. *See* Hendershot, Bole, Köhler, and Kearney.
Kohtz, D. S., Georgieva-Hanson, V., Kohtz, J. D., Schook, W. J., and Puszkin, S. Mapping two functional domains of clathrin light chains with monoclonal antibodies. 897
Kohtz, J. D. *See* Kohtz, Georgieva-Hanson, Kohtz, Schook, and Puszkin.
Koike, T. *See* Kato, Iwamoto, Koike, and Suzuki.
Komoriya, A. *See* Friesel, Komoriya, and Maciag.
Kong, N. *See* Lodish, Kong, Hirani, and Rasmussen.
Koppel, D. E. *See* Cowan, Myles, and Koppel.
Korn, H. *See* Triller, Cluzeaud, and Korn.
Korsching, S. *See* Heumann, Korsching, Bandtlow, and Thoenen.
Koseki, M. *See* Matsuda, Saito, Yamaguchi, Koseki, and Hayashi.
Kozak, S. E. *See* Nash, Kozak, Angerer, Angerer, Schatten, Schatten, and Marzluff.
Kraehenbuhl, J. P. *See* Verrey, Schaerer, Zoerkler, Paccolat, Geering, Kraehenbuhl, and Rossier.
Kreibich, G. *See* De Lemos-Chiarandini, Frey, Sabatini, and Kreibich.
—, *See* Harnik-Ort, Prakash, Marcantonio, Colman, Rosenfeld, Adesnik, Sabatini, and Kreibich.
Kreibich, G. *See* Finidori, Rizzolo, Gonzalez, Kreibich, Adesnik, and Sabatini.
Kresse, H. *See* Schmidt, Robenek, Harrach, Glössl, Nolte, Hörmann, Richter, and Kresse.
Krichevsky, A. *See* Corless, Matzuk, Ramabhadran, Krichevsky, and Boime.
Kruithof, E. K. O. *See* Genton, Kruithof, and Schleuning.
Kücherer, A., Faissner, A., and Schachner, M. The novel carbohydrate epitope L3 is shared by some neural cell adhsion molecules. 1597
Kurzchalia, T. V. *See* Wiedmann, Kurzchalia, Bielka, and Rapoport.
Kuzuya, H. *See* Lazarovici, Dickens, Kuzuya, and Guroff.

L

Languino, L. R. *See* Dejana, Colella, Languino, Balconi, Corbascio, and Marchisio.
Lark, M. W. *See* Singer, Kawka, Scott, Mumford, and Lark.
Lazarovici, P., Dickens, G., Kuzuya, H., and Guroff, G. Long-term heterologous down-regulation of the epidermal growth factor receptor in PC12 cells by nerve growth factor. 1611
LeDizet, M. *See* Piperno, LeDizet, and Chang.
Lemansky, P., Hasilik, A., von Figura, K., Helmy, S., Fishman, J., Fine, R. E., Kedersha, N. L., and Rome, L. H. Lysosomal enzyme precursors in coated vesicles derived from the exocytic and endocytic pathways. 1743
Lenard, J. *See* Wilson, Firestone, and Lenard.
Linck, R. W., and Stephens, R. E. Biochemical characterization of tektins from sperm flagellar doublet microtubules. 1069
Ling, N. *See* Schubert, Ling, and Baird.
Lingappa, V. R. *See* Simon, Perara, and Lingappa.
Liu, S.-C, Derick, L. H., and Palek, J. Visualization of the hexagonal lattice in the erythrocyte membrane skeleton. 527
Lodish, H. F., Kong, N., Hirani, S., and Rasmussen, J. A vesicular intermediate in the transport of hepatoma secretory proteins from the rough endoplasmic reticulum to the Golgi complex. 221
Loftus, D. J. *See* Cooper, Bryan, Schwab, Frieden, Loftus, and Elson.
Lotti, L. V. *See* Torrisi, Lotti, Pavan, Migliaccio, and Bonatti.
Louisot, P. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.
Lucocq, J. M., Pryde, J. G., Berger, E. G., and Warren, G. A mitotic form of the Golgi apparatus in HeLa cells. 865
Lunstrum, G. P. *See* Keene, Sakai, Lunstrum, Morris, and Burgeson.
Luskey, K. L. *See* Jingami, Brown, Goldstein, Anderson, and Luskey.
Lyon, J. A. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.

M

Machlin, P. S. *See* Earnshaw, Sullivan, Machlin, Cooke, Kaiser, Pollard, Rothfield, and Cleveland.
Maciag, T. *See* Friesel, Komoriya, and Maciag.
Magendantz, M. *See* Kim, Magendantz, Katz, and Solomon.
Makarow, M., and Nevalainen, L. T. Transport of a fluorescent macromolecule via endosomes to the vacuole in *Saccharomyces cerevisiae*. 67
Male, P. *See* Marsh, Schmid, Kern, Harms, Male, Mellman, and Helenius.
Manzi, R. M. *See* Godfrey, Manzi, Clark, and Hoffstein.
Marcantonio, E. *See* Harnik-Ort, Prakash, Marcantonio, Colman, Rosenfeld, Adesnik, Sabatini, and Kreibich.
Marchisio, P. C. *See* Dejana, Colella, Languino, Balconi, Corbascio, and Marchisio.
Margolis, R. L. *See* Palmer, O'Day, Wener, Andrews, and Margolis.
Margreth, A. *See* Damiani, Margreth, Furlan, Dahms, Arnn, and Sabbadini.
Marguerie, G. *See* Duperray, Berthier, Chagnon, Ryckewaert, Ginsberg, Plow, and Marguerie.
Maro, B. *See* Houliston, Pickering, and Maro.
—, *See* Houliston, Pickering, and Maro.
Marsh, K. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.
Marsh, M., Schmid, S., Kern, H., Harms, E., Male, P., Mellman, I., and Helenius, A. Rapid analytical and preparative isolation of functional endosomes by free flow electrophoresis. 875
Marzluff, W. F. *See* Nash, Kozak, Angerer, Angerer, Schatten, Schatten, and Marzluff.
Masaki, R., Yamamoto, A., and Tashiro, Y. Cytochrome P-450 and NADPH-cytochrome P-450 reductase are degraded in the autolysosomes in rat liver. 1207
Mason, P. W. *See* Yoshino, Mason, and DeVries.
Masui, Y. *See* Clarke and Masui.
Matsuda, Y., Saito, T., Yamaguchi, T., Koseki, M., and Hayashi, K. Topography of cell wall lytic enzyme in *Chlamydomonas reinhardtii*: form and location of the stored enzyme in vegetative cell and gamete. 321
Matsuhashi, S. *See* Hanai, Kato, Matsuhashi, Morita, Raines, and Ross.
Matuoka, K., Namba, M., and Mitsui, Y. Hyaluronate synthetase inhibition by normal and transformed human fibroblasts during growth reduction. 1105
Matzuk, M. M. *See* Corless, Matzuk, Ramabhadran, Krichevsky, and Boime.
May, G. S. *See* Osmani, May, and Morris.
McEver, R. P. *See* Isenberg, McEver, Phillips, Shuman, and Bainton.
McKeown-Longo, P. J., and Etzler, C. A. Induction of fibronectin matrix assembly in human fibrosarcoma cells by dexamethasone. 601
McMahan, U. J. *See* Connor and McMahan.
Mellman, I. *See* Marsh, Schmid, Kern, Harms, Male, Mellman, and Helenius.
Miche, S. M. *See* Coleman, Harris, Miche, Mooseker, and Morrow.
Migliaccio, G. *See* Torrisi, Lotti, Pavan, Migliaccio, and Bonatti.
Miller, H. P. *See* Farrell, Jordan, Miller, and Wilson.
Mischke, D. *See* Toffenetti, Mischke, and Pardue.
Mitsui, Y. *See* Matuoka, Namba, and Mitsui.
Mohr, F. C., and Fewtrell, C. Depolarization of rat basophilic leukemia cells inhibits calcium uptake and exocytosis. 783
Mooseker, M. S. *See* Coleman, Harris, Miche, Mooseker, and Morrow.
Morisset, M. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.

Morita, H. *See* Hanai, Kato, Matsuhashi, Morita, Raines, and Ross.
Morris, N. P. *See* Keene, Sakai, Lunstrum, Morris, and Burgeson.
Morris, N. R. *See* Osmani, May, and Morris.
Morrow, J. S. *See* Coleman, Harris, Miche, Mooseker, and Morrow.
Mosher, D. F. *See* Pesciotta Peters and Mosher.
Mumford, R. A. *See* Singer, Kawka, Scott, Mumford, and Lark.
Murnane, A. A. *See* Froehner, Murnane, Tobler, Peng, and Sealock.
Musil, L. S., and Baenziger, J. U. Cleavage of membrane secretory component to soluble secretory component occurs on the cell surface of rat hepatocyte monolayers. 1725
Myles, D. G. *See* Cowan, Myles, and Koppel.

N

Nadal-Ginard, B. *See* Narusawa, Fitzsimons, Izumo, Nadal-Ginard, Rubinstein, and Kelly.
—, *See* Taubman, Grant, and Nadal-Ginard.
Namba, M. *See* Matuoka, Namba, and Mitsui.
Narusawa, M., Fitzsimons, R. B., Izumo, S., Nadal-Ginard, B., Rubinstein, N. A., and Kelly, A. M. Slow myosin in developing rat skeletal muscle. 447
Nash, M. A., Kozak, S. E., Angerer, L. M., Angerer, R. C., Schatten, H., Schatten, G., and Marzluff, W. F. Sea urchin maternal and embryonic U1 RNAs are spatially segregated in early embroyos. 1133
Neale, E. A. *See* Brenneman, Neale, Foster, d'Autremont, and Westbrook.
Nelson, W. J., and Veshnock, P. J. Modulation of fodrin (membrane skeleton) stability by cell–cell contact in Madin–Darby canine kidney epithelial cells. 1527
Neugebauer, K. M. *See* Hall, Neugebauer, and Reichardt.
Nevalainen, L. T. *See* Makarow and Nevalainen.
Nevins, J. *See* Kaczmarek, Calabretta, Kao, Heintz, Nevins, and Baserga.
Newmeyer, D. D. *See* Finlay, Newmeyer, Price, and Forbes.
Nguyen, M., Argan, C., Sheffield, W. P., Bell, A. W., Shields, D., and Shore, G. C. A signal sequence domain essential for processing, but not import, of mitochondrial pre–ornithine carbamyl transferase. 1193
Nielsen, L. *See* Pöllänen, Saksela, Salonen, Andreasen, Nielsen, Danø, and Vaheri.
Nolte, V. *See* Schmidt, Robenek, Harrach, Glössl, Nolte, Hörmann, Richter, and Kresse.

O

O'Connell, T. M. *See* Rheinwald, Jorgensen, Hahn, Terpstra, O'Connell, and Plummer.
O'Day, K. *See* Palmer, O'Day, Wener, Andrews, and Margolis.
Olins, A. L. *See* Olins and Olins.
Olins, D. E., and Olins, A. L. In vitro DNA synthesis in the macronuclear replication band of *Euplotes eurystomus*. 1125
Osmani, S. A., May, G. S., and Morris, N. R. Regulation of the mRNA levels of *nimA*, a gene required for the G2-M transition in *Aspergillus nidulans*. 1495

P

Paccolat, M. P. *See* Verrey, Schaerer, Zoerkler, Paccolat, Geering, Kraehenbuhl, and Rossier.
Palek, J. *See* Liu, Derick, and Palek.
Palevitz, B. A. Actin in the preprophase band of *Allium cepa*. 1515
Palmer, D. K., O'Day, K., Wener, M. H., Andrews, B. S., and Margolis, R. L. A 17-kD centromere protein (CENP-A) copurifies with nucleosome core particles and with histones. 805
Pande, H. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.
Panton, L. J. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.
Pardue, M. L. *See* Toffenetti, Mischke, and Pardue.
Patil, N. *See* Roth, Gundersen, Patil, and Rodriguez-Boulan.
Patton, J. G., and Wieben, E. D. U1 precursors: variant 3′ flanking sequences are transcribed in human cells. 175
Pavan, A. *See* Torrisi, Lotti, Pavan, Migliaccio, and Bonatti.
Payne, R., and Fein, A. Inositol 1,4,5 trisphosphate releases calcium from specialized sites within *Limulus* photoreceptors. 933
Peng, H. B. *See* Froehner, Murnane, Tobler, Peng, and Sealock.
Perara, E. *See* Simon, Perara, and Lingappa.
Persohn, E. *See* Antonicek, Persohn, and Schachner.
Pesciotta Peters, D. M., and Mosher, D. F. Localization of cell surface sites involved in fibronectin fibrillogenesis. 121
Petzold, A. S. *See* Brown and Petzold.
Phillips, D. R. *See* Isenberg, McEver, Phillips, Shuman, and Bainton.
Pickering, S. J. *See* Houliston, Pickering, and Maro.
Pierschbacher, M. D. *See* Dedhar, Ruoslahti, and Pierschbacher.
Piperno, G., LeDizet, M., and Chang, X. Microtubules containing acetylated α-tubulin in mammalian cells in culture. 289
—, *See* Chang and Piperno.
Plow, E. *See* Duperray, Berthier, Chagnon, Ryckewaert, Ginsberg, Plow, and Marguerie.
Plummer, K. K. *See* Rheinwald, Jorgensen, Hahn, Terpstra, O'Connell, and Plummer.
Pober, J. S. *See* Ewenstein, Warhol, Handin, and Pober.
Poduslo, J. F. *See* Brunden and Poduslo.
Pöllänen, J., Saksela, O., Salonen, E.-M., Andreasen, P., Nielsen, L., Danø, K., and Vaheri, A. Distinct localizations of urokinase-type plasminogen activator and its type 1 inhibitor under cultured human fibroblasts and sarcoma cells. 1085
Pollard, T. D. *See* Earnshaw, Sullivan, Machlin, Cooke, Kaiser, Pollard, Rothfield, and Cleveland.
Poole, A. R. *See* Hinek, Reiner, and Poole.
Powell, M. A. *See* Glenney, Tack, and Powell.
Prakash, K. *See* Harnik-Ort, Prakash, Marcantonio, Colman, Rosenfeld, Adesnik, Sabatini, and Kreibich.
Price, M. G. Skelemins: cytoskeletal proteins located at the periphery of M-discs in mammalian striated muscle. 1325
Price, T. M. *See* Finlay, Newmeyer, Price, and Forbes.
Primakoff, P., Hyatt, H., and Tredick-Kline, J. Identification and purification of a sperm surface protein with a potential role in sperm–egg membrane fusion. 141
Pryde, J. G. *See* Lucocq, Pryde, Berger, and Warren.
Pumplin, D. W., and Bloch, R. J. Disruption and reformation of the acetylcholine receptor clusters of cultured rat myotubes occur in two distinct steps. 97
Puszkin, S. *See* Kohtz, Georgieva-Hanson, Kohtz, Schook, and Puszkin.

R

Raff, E. C. *See* Fuller, Caulton, Hutchens, Kaufman, and Raff.
Raines, E. W. *See* Hanai, Kato, Matsuhashi, Morita, Raines, and Ross.
Ramabhadran, T. V. *See* Corless, Matzuk, Ramabhadran, Krichevsky, and Boime.
Raper, J. A. *See* Chang, Rathjen, and Raper.
Rapoport, T. A. *See* Wiedmann, Kurzchalia, Bielka, and Rapoport.
Rasmussen, J. *See* Lodish, Kong, Hirani, and Rasmussen.
Rathjen, F. G., Wolff, J. M., Frank, R., Bonhoeffer, F., and Rutishauser, U. Membrane glycoproteins involved in neurite fasciculation. 343
—, *See* Chang, Rathjen, and Raper.
Rechsteiner, M. *See* Carlson and Rechsteiner.
—, *See* Carlson, Rogers, and Rechsteiner.
Reichardt, L. F. *See* Hall, Neugebauer, and Reichardt.
Reinders, J. H. *See* de Groot, Reinders, and Sixma.
Reiner, A. *See* Hinek, Reiner, and Poole.
Rheinwald, J. G., Jorgensen, J. L., Hahn, W. C., Terpstra, A. J., O'Connell, T. M., and Plummer, K. K. Mesosecrin: a secreted glycoprotein produced in abundance by human mesothelial, endothelial, and kidney epithelial cells in culture. 263

Richman, R. *See* Schulman, Cook, Richman, and Allis.
Richter, H. *See* Schmidt, Robenek, Harrach, Glössl, Nolte, Hörmann, Richter, and Kresse.
Rindler, M. J., Ivanov, I. E., and Sabatini, D. D. Microtubule-acting drugs lead to the nonpolarized delivery of the influenza hemagglutinin to the cell surface of polarized Madin–Darby canine kidney cells. 231
Rizzolo, L. *See* Finidori, Rizzolo, Gonzalez, Kreibich, Adesnik, and Sabatini.
Robenek, H. *See* Schmidt, Robenek, Harrach, Glössl, Nolte, Hörmann, Richter, and Kresse.
Roberts, D. D., Sherwood, J. A., and Ginsburg, V. Platelet thrombospondin mediates attachment and spreading of human melanoma cells. 131
Robinson, M. S. 100-kD coated vesicle proteins: molecular heterogeneity and intracellular distribution studied with monoclonal antibodies. 887
Rochefort, H. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.
Rock, E. P. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.
Rodriguez-Boulan, E. *See* Roth, Gundersen, Patil, and Rodriguez-Boulan.
—, *See* Vega-Salas, Salas, Gundersen, and Rodriguez-Boulan.
—, *See* Vega-Salas, Salas, and Rodriguez-Boulan.
Rogers, S. *See* Carlson, Rogers, and Rechsteiner.
Rogowska, J. *See* Bright, Fisher, Rogowska, and Taylor.
Role, L. W., and Fischbach, G. D. Changes in the number of chick ciliary ganglion neuron processes with time in cell culture. 363
—, **Roufa, D. G., and Fischbach, G. D.** The distribution of acetycholine receptor clusters and sites of transmitter release along chick ciliary ganglion neurite-myotube contacts in culture. 371
Rome, L. H. *See* Lemansky, Hasilik, von Figura, Helmy, Fishman, Fine, Kedersha, and Rome.
Rosellini, C. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.
Rosen, S. D. *See* Yednock, Butcher, Stoolman, and Rosen.
—, *See* Yednock, Stoolman, and Rosen.
Rosenfeld, M. G. *See* Harnik-Ort, Prakash, Marcantonio, Colman, Rosenfeld, Adesnik, Sabatini, and Kreibich.
Ross, R. *See* Hanai, Kato, Matsuhashi, Morita, Raines, and Ross.
Rossier, B. C. *See* Verrey, Schaerer, Zoerkler, Paccolat, Geering, Kraehenbuhl, and Rossier.
Roth, M. G., Gundersen, D., Patil, N., and Rodriguez-Boulan, E. The large external domain is sufficient for the correct sorting of secreted or chimeric influenza virus hemagglutinins in polarized monkey kidney cells. 769
Rothfield, N. F. *See* Earnshaw, Sullivan, Machlin, Cooke, Kaiser, Pollard, Rothfield, and Cleveland.
Roufa, D. G. *See* Role, Roufa, and Fischbach.
Rousset, M. *See* Trugnan, Rousset, Chantret, Barbat, and Zweibaum.
Rubin, L. L. *See* Englander and Rubin.
Rubinstein, N. A. *See* Narusawa, Fitzsimons, Izumo, Nadal-Ginard, Rubinstein, and Kelly.
Ruiz, F., Garreau de Loubresse, N., and Beisson, J. A mutation affecting basal body duplication and cell shape in *Paramecium*. 417. Correction. Vol. 104, p. 1755
Ruoslahti, E. *See* Dedhar, Ruoslahti, and Pierschbacher.
Russell, D. G. *See* Schneider, Sherwin, Sasse, Russell, Gull, and Seebeck.
Rutishauser, U. *See* Hall and Rutishauser.
—, *See* Rathjen, Wolff, Frank, Bonhoeffer, and Rutishauser.
Ryckewaert, J.-J. *See* Duperray, Berthier, Chagnon, Ryckewaert, Ginsberg, Plow, and Marguerie.

S

Sabatini, D. D. *See* De Lemos-Chiarandini, Frey, Sabatini, and Kreibich.
—, *See* Finidori, Rizzolo, Gonzalez, Kreibich, Adesnik, and Sabatini.
—, *See* Harnik-Ort, Prakash, Marcantonio, Colman, Rosenfeld, Adesnik, Sabatini, and Kreibich.
—, *See* Rindler, Ivanov, and Sabatini.
Sabbadini, R. A. *See* Damiani, Margreth, Furlan, Dahms, Arnn, and Sabbadini.
Saito, T. *See* Matsuda, Saito, Yamaguchi, Koseki, and Hayashi.
Sakai, L. Y. *See* Keene, Sakai, Lunstrum, Morris, and Burgeson.
Saksela, O. *See* Pöllänen, Saksela, Salonen, Andreasen, Nielsen, Danø, and Vaheri.
Sakurai, T. *See* Wataya-Kaneda, Kaneda, Sakurai, Sugawa, and Uchida.
Salas, P. J. I. *See* Vega-Salas, Salas, Gundersen, and Rodriguez-Boulan.
—, *See* Vega-Salas, Salas, and Rodriguez-Boulan.
Salonen, E.-M. *See* Pöllänen, Saksela, Salonen, Andreasen, Nielsen, Danø, and Vaheri.
Salzer, J. L., Holmes, W. P., and Colman, D. R. The amino acid sequences of the myelin-associated glycoproteins: homology to the immunoglobin gene superfamily. 957
Sammack, P. J., Gorbsky, G. J., and Borisy, G. G. Microtubule dynamics in vivo: a test of mechanisms of turnover. 395
Sammak, P. J. *See* Gorbsky, Sammak, and Borisy.
Sandberg, M., and Vuorio, E. Localization of types I, II, and III collagen mRNAs in developing human skeletal tissues by in situ hybridization. 1077
Sappino, A.-P. *See* Huarte, Belin, Bosco, Sappino, and Vassalli.
Sappino, A.-P. *See* Huarte, Belin, Bosco, Sappino, and Vassalli.
Sasse, R., Glyn, M. C. P., Birkett, C. R., and Gull, K. Acetylated α-tubulin in *Physarum*: immunological characterization of the isotype and its usage in particular microtubular organelles. 41
—, *See* Schneider, Sherwin, Sasse, Russell, Gull, and Seebeck.
—, *See* Sherwin, Schneider, Sasse, Seebeck, and Gull.
Saul, A. J. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.
Schachner, M. *See* Antonicek, Persohn, and Schachner.
—, *See* Kücherer, Faissner, and Schachner.
Schaerer, E. *See* Verrey, Schaerer, Zoerkler, Paccolat, Geering, Kraehenbuhl, and Rossier.
Schafer, D. A., and Stockdale, F. E. Identification of sarcolemma-associated antigens with differential distributions on fast and slow skeletal muscle fibers. 967
Schatten, G. *See* Nash, Kozak, Angerer, Angerer, Schatten, Schatten, and Marzluff.
Schatten, H. *See* Nash, Kozak, Angerer, Angerer, Schatten, Schatten, and Marzluff.
Schindler, M., and Jiang, L. Epidermal growth factor and insulin stimulate nuclear pore-mediated macromolecular transport in isolated rat liver nuclei. 849
Schleuning, W.-D. *See* Genton, Kruithof, and Schleuning.
Schmid, S. *See* Marsh, Schmid, Kern, Harms, Male, Mellman, and Helenius.
Schmidt, G., Robenek, H., Harrach, B., Glössl, J., Nolte, V., Hörmann, H., Richter, H., and Kresse, H. Interaction of small dermatan sulfate proteoglycan from fibroblasts with fibronectin. 1683
Schmidt, J. *See* Shieh, Ballivet, and Schmidt.
Schneider, A., Sherwin, T., Sasse, R., Russell, D. G., Gull, K., and Seebeck, T. Subpellicular and flagellar microtubules of *Trypanosoma brucei brucei* contain the same α-tubulin isoforms. 431
—, *See* Sherwin, Schneider, Sasse, Seebeck, and Gull.
Schook, W. J. *See* Kohtz, Georgieva-Hanson, Kohtz, Schook, and Puszkin.
Schubert, D., Ling, N., and Baird, A. Multiple influences of a heparin-binding growth factor on neuronal development. 635
Schulman, I. G., Cook, R. G., Richman, R., and Allis, C. D. *Tetrahymena* contain two distinct and unusual high mobility group (HMG)-like proteins. 1485
Schulze, E., and Kirschner, M. Dynamic and stable populations of microtubules in cells. 277
Schwab, B., III *See* Cooper, Bryan, Schwab, Frieden, Loftus, and Elson.
Schwartz, A. L. *See* Geuze, Slot, and Schwartz.
—, *See* Zijderhand-Bleekemolen, Schwartz, Slot, Strous, and Geuze.
Scott, S. *See* Singer, Kawka, Scott, Mumford, and Lark.
Seagull, R. W., Falconer, M. M., and Weerdenburg, C. A. Microfilaments: dynamic arrays in higher plant cells. 995
Sealock, R. *See* Froehner, Murnane, Tobler, Peng, and Sealock.
Sedat, J. W. *See* Hochstrasser and Sedat.

Seebeck, T. *See* Schneider, Sherwin, Sasse, Russell, Gull, and Seebeck.
—, *See* Sherwin, Schneider, Sasse, Seebeck, and Gull.
Sefton, B. M., and Buss, J. E. The covalent modification of eukaryotic proteins with lipid. 1449
Segall, J. E., Fisher, P. R., and Gerisch, G. Selection of chemotaxis mutants of *Dictyostelium discoideum*. 151
Senior, A. *See* Holt, Snow, Senior, Haltiwanger, Gerace, and Hart.
—, *See* Snow, Senior, and Gerace.
Shah, A. J. *See* Kay, Shah, and Halstead.
Sheffield, W. P. *See* Nguyen, Argan, Sheffield, Bell, Shields, and Shore.
Shepro, D. *See* Kelley, D'Amore, Hechtman, and Shepro.
Sherman, M. I. *See* Barkai and Sherman.
Sherwin, T., Schneider, A., Sasse, R., Seebeck, T., and Gull, K. Distinct localization and cell cycle dependence of COOH terminally tyrosinolated α-tubulin in the microtubules of *Trypanosoma brucei brucei*. 439
—, *See* Schneider, Sherwin, Sasse, Russell, Gull, and Seebeck.
Sherwood, J. A. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.
—, *See* Roberts, Sherwood, and Ginsburg.
Shieh, B. H., Ballivet, M., and Schmidt, J. Quantitation of an alpha subunit splicing intermediate: evidence for transcriptional activation in the control of acetylcholine receptor expression in denervated chick skeletal muscle. 1337
Shields, D. *See* Nguyen, Argan, Sheffield, Bell, Shields, and Shore.
Shiomura, Y., and Hirokawa, N. Colocalization of microtubule-associated protein 1A and microtubule-associated protein 2 on neuronal microtubules in situ revealed with double-label immunoelectron microscopy. 1575
Shore, G. C. *See* Nguyen, Argan, Sheffield, Bell, Shields, and Shore.
Shuman, M. A. *See* Isenberg, McEver, Phillips, Shuman, and Bainton.
Silverstein, S. C. *See* Swanson, Burke, and Silverstein.
Simon, K., Perara, E., and Lingappa, V. R. Translocation of globin fusion proteins across the endoplasmic reticulum membrane in *Xenopus laevis* oocytes. 1165
Singer, I. I., Kawka, D. W., Scott, S., Mumford, R. A., and Lark, M. W. The fibronectin cell attachment sequence arg-gly-asp-ser promotes focal contact formation during early fibroblast attachment and spreading. 573
Siu, C.-H. *See* Choi and Siu.
Sixma, J. J. *See* de Groot, Reinders, and Sixma.
Slot, J. W. *See* Geuze, Slot, and Schwartz.
—, *See* Zijderhand-Bleekemolen, Schwartz, Slot, Strous, and Geuze.
Snow, C. M., Senior, A., and Gerace, L. Monoclonal antibodies identify a group of nuclear pore complex glycoproteins. 1143
—, *See* Holt, Snow, Senior, Haltiwanger, Gerace, and Hart.
Solomon, F. *See* Kim, Magendantz, Katz, and Solomon.
Spudich, J. A. *See* Griffith, Downs, and Spudich.
Spudich, J. *See* Griffith, Downs, and Spudich.
Stephens, R. E. *See* Linck and Stephens.
Stevens, T. H *See* Blachly-Dyson and Stevens.
Stickel, S. K., and Wang, Y. Alpha-actinin-containing aggregates in transformed cells are highly dynamic structures. 1521
Stockdale, F. E. *See* Schafer and Stockdale.
Stokes, D. L., and DeRosier, D. J. The variable twist of actin and its modulation by actin-binding proteins. 1005
Stoolman, L. M. *See* Yednock, Butcher, Stoolman, and Rosen.
—, *See* Yednock, Stoolman, and Rosen.
Stoorvogel, W., Geuze, H. J., and Strous, G. J. Sorting of endocytosed transferrin and asialoglycoprotein occurs immediately after internalization in HepG2 cells. 1261
Strous, G. J. *See* Stoorvogel, Geuze, and Strous.
—, *See* Zijderhand-Bleekemolen, Schwartz, Slot, Strous, and Geuze.
Sugawa, H. *See* Wataya-Kaneda, Kaneda, Sakurai, Sugawa, and Uchida.
Sullivan, K. F. *See* Earnshaw, Sullivan, Machlin, Cooke, Kaiser, Pollard, Rothfield, and Cleveland.
Suzuki, F. *See* Kato, Iwamoto, Koike, and Suzuki.
Swanson, J., Burke, E., and Silverstein, S. C. Tubular lysosomes accompany stimulated pinocytosis in macrophages. 1217
Sztul, E. S., Biemesderfer, D., Caplan, M. J., Kashgarian, M., and Boyer, J. L. Localization of Na^+,K^+-ATPase α-subunit to the sinusoidal and lateral but not canalicular membranes of rat hepatocytes. 1239

T

Tack, B. *See* Glenney, Tack, and Powell.
Takeichi, M. *See* Duband, Dufour, Hatta, Takeichi, Edelman, and Thiery.
Talian, J. C. *See* Green, Geiger, Jones, Talian, and Goldman.
Tashiro, Y. *See* Masaki, Yamamoto, and Tashiro.
Taubman, M. B., Grant, J. W., and Nadal-Ginard, B. Cloning and characterization of mammalian myosin regulatory light chain (RLC) cDNA: the RLC gene is expressed in smooth, sarcomeric, and nonmuscle tissues. 1505
Taylor, D. L. *See* Bright, Fisher, Rogowska, and Taylor.
Taylor-Papadimitriou, J. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.
Terpstra, A. J. *See* Rheinwald, Jorgensen, Hahn, Terpstra, O'Connell, and Plummer.
Theriot, J. *See* Woodruff, Theriot, and Burden.
Thiery, J. P. *See* Duband, Dufour, Hatta, Takeichi, Edelman, and Thiery.
Thoenen, H. *See* Heumann, Korsching, Bandtlow, and Thoenen.
Tilney, L. G., and Inoué, S. Flagellar gyration and midpiece rotation during extension of the acrosomal process of *Thyone* sperm: how and why this occurs. 407
—, **Fukui, Y., and DeRosier, D. J.** Movement of the actin filament bundle in *Mytilus* sperm: a new mechanism is proposed. 981
Tobler, M. *See* Froehner, Murnane, Tobler, Peng, and Sealock.
Toffenetti, J., Mischke, D., and Pardue, M. L. Isolation and characterization of the gene for myosin light chain two of *Drosophila melanogaster*. 19
Tooze, J., and Burke, B. Accumulation of adrenocorticotropin secretory granules in the midbody of telophase AtT20 cells: evidence that secretory granules move anterogradely along microtubules. 1047
Torrisi, M. R., Lotti, L. V., Pavan, A., Migliaccio, G., and Bonatti, S. Free diffusion to and from the inner nuclear membrane of newly synthesized plasma membrane glycoproteins. 733
Tredick-Kline, J. *See* Primakoff, Hyatt, and Tredick-Kline.
Triller, A., Cluzeaud, F., and Korn, H. Gamma-aminobutyric acid–containing terminals can be apposed to glycine receptors at central synapses. 947
Trugnan, G., Rousset, M., Chantret, I., Barbat, A., and Zweibaum, A. The posttranslational processing of sucrase–isomaltase in HT-29 cells is a function of their state of enterocytic differentiation. 1199

U

Uchida, T. *See* Wataya-Kaneda, Kaneda, Sakurai, Sugawa, and Uchida.
Uni, S. *See* Howard, Lyon, Uni, Saul, Aley, Klotz, Panton, Sherwood, Marsh, Aikawa, and Rock.

V

Vaheri, A. *See* Pöllänen, Saksela, Salonen, Andreasen, Nielsen, Danø, and Vaheri.
Vance, P. M. *See* Galvin, Vance, Dixit, Fink, and Frazier.
Vassalli, J.-D. *See* Blasi, Vassalli, and Danø.
—, *See* Huarte, Belin, Bosco, Sappino, and Vassalli.
Vecchio, D. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.
Vega-Salas, D. E., Salas, P. J. I., and Rodriguez-Boulan, E. Modulation of the expression of an apical plasma membrane protein of Madin–Darby canine kidney epithelial cells: cell–cell interactions control the appearance of a novel intracellular storage compartment. 1249

—, **Salas, P. J. I., Gundersen, D., and Rodriguez-Boulan, E.** Formation of the apical pole of epithelial (Madin–Darby canine kidney) cells: polarity of an apical protein is independent of tight junctions while segregation of a basolateral marker requires cell–cell interactions. 905
Verrey, F., Schaerer, E., Zoerkler, P., Paccolat, M. P., Geering, K., Kraehenbuhl, J. P., and Rossier, B. C. Regulation by aldosterone of Na^+,K^+-ATPase mRNAs, protein synthesis, and sodium transport in cultured kidney cells. 1231
Veshnock, P. J. *See* Nelson and Veshnock.
Vignon, F. *See* Capony, Morisset, Barrett, Capony, Broquet, Vignon, Chambon, Louisot, and Rochefort.
von Figura, K. *See* Braulke, Gartung, Hasilik, and von Figura.
—, *See* Lemansky, Hasilik, von Figura, Helmy, Fishman, Fine, Kedersha, and Rome.
Vuorio, E. *See* Sandberg and Vuorio.

W

Wagner, K. R. *See* Balch, Wagner, and Keller.
Wang, Y., and Goren, M. B. Differential and sequential delivery of fluorescent lysosomal probes into phagosomes in mouse peritoneal macrophages. 1749
—, *See* Stickel and Wang.
Warhol, M. J. *See* Ewenstein, Warhol, Handin, and Pober.
Warner, A., and Gurdon, J. B. Functional gap junctions are not required for muscle gene activation by induction in *Xenopus* embryos. 557
Warren, G. *See* Lucocq, Pryde, Berger, and Warren.
Wataya-Kaneda, M., Kaneda, Y., Sakurai, T., Sugawa, H., and Uchida, T. A monoclonal antibody against the nucleus reveals the presence of a common protein in the nuclear envelope, the perichromosomal region, and cytoplasmic vesicles. 1
Weber, K. *See* Wehland and Weber.
Weerdenburg, C. A. *See* Seagull, Falconer, and Weerdenburg.
Wehland, J., and Weber, K. Tubulin–tyrosine ligase has a binding site on β-tubulin: a two-domain structure of the enzyme. 1059
Wieben, E. D. *See* Patton and Weiben.
Wener, M. H. *See* Palmer, O'Day, Wener, Andrews, and Margolis.
Westbrook, G. L. *See* Brenneman, Neale, Foster, d'Autremont, and Westbrook.
Wiedmann, M., Kurzchalia, T. V., Bielka, H., and Rapoport, T. A. Direct probing of the interaction between the signal sequence of nascent preprolactin and the signal recognition particle by specific cross-linking. 201
Wilson, L. *See* Farrell, Jordan, Miller, and Wilson.
Wilson, P. D., Firestone, R. A., and Lenard, J. The role of lysosomal enzymes in killing of mammalian cells by the lysosomotropic detergent *N*-dodecylimidazole. 1223
Wolff, J. M. *See* Rathjen, Wolff, Frank, Bonhoeffer, and Rutishauser.
Woodruff, M. L., Theriot, J., and Burden, S. J. 300-kD subsynaptic protein copurifies with acetylcholine receptor-rich membranes and is concentrated at neuromuscular synapses. 939

Y

Yamaguchi, T. *See* Matsuda, Saitc, Yamaguchi, Koseki, and Hayashi.
Yamamoto, A. *See* Masaki, Yamamoto, and Tashiro.
Yednock, T. A., Butcher, E. C., Stoolman, L. M., and Rosen, S. D. Receptors involved in lymphocyte homing: relationship between a carbohydrate-binding receptor and the MEL-14 antigen. 725
—, **Stoolman, L. M., and Rosen, S. D.** Phosphomannosyl-derivatized beads detect a receptor involved in lymphocyte homing. 713
Yoshino, J. E., Mason, P. W., and DeVries, G. H. Developmental changes in myelin-induced proliferation of cultured Schwann cells. 655

Z

Zardi, L. *See* Borsi, Carnemolla, Castellani, Rosellini, Vecchio, Allemanni, Chang, Taylor-Papadimitriou, Pande, and Zardi.
Zijderhand-Bleekemolen, J. E., Schwartz, A. L., Slot, J. W., Strous, G. J., and Geuze, H. J. Ligand- and weak base–induced redistribution of asialoglycoporotein receptors in hepatoma cells. 1647
Zoerkler, P. *See* Verrey, Schaerer, Zoerkler, Paccolat, Geering, Kraehenbuhl, and Rossier.
Zweibaum, A. *See* Trugnan, Rousset, Chantret, Barbat, and Zweibaum.